









- KAKIGANO A, EGAWA-TAKATA T, et al. A case of acute Sheehan's syndrome and literature review: a rare but life-threatening complication of postpartum hemorrhage[J/OL]. *BMC Pregnancy Childbirth*, 2017, 17: 188. doi: 10.1186/s12884-017-1380-y.
- [8] GONZÁLEZ-GONZÁLEZ J G, BORJAS-ALMAGUER O D, SALCIDO-MONTENEGRO A, RODRÍGUEZ-GUAJARDO R, ELIZONDO-PLAZAS A, MONTES-DE-OCA-LUNA R, et al. Sheehan's syndrome revisited: underlying autoimmunity or hypoperfusion?[J/OL]. *Int J Endocrinol*, 2018, 2018: 8415860. doi: 10.1155/2018/8415860.
- [9] YIM C H. Thyroid dysfunction during pregnancy[J]. *J Korean Med Assoc*, 2018, 61: 253-258.
- [10] COOPER D S. Hyperthyroidism[J]. *Lancet*, 2003, 362: 459-468.
- [11] LAURBERG P, BOURNAUD C, KARMISHOLT J, ORGIAZZI J. Management of Graves' hyperthyroidism in pregnancy: focus on both maternal and foetal thyroid function, and caution against surgical thyroidectomy in pregnancy[J]. *Eur J Endocrinol*, 2009, 160: 1-8.
- [12] BACUZZI A, DIONIGI G, GUZZETTI L, DE MARTINO A I, SEVERGNINI P, CUFFARI S. Predictive features associated with thyrotoxic storm and management[J]. *Gland Surg*, 2017, 6: 546-551.
- [13] STATHATOS N, WARTOFSKY L. Thyrotoxic storm[J]. *Encycloped Endocr Dis*, 2004, 17: 573-576.
- [14] 程蔚蔚,沈虹. 患有甲亢危象产妇转诊处理及注意事项[J]. *中国计划生育和妇产科*, 2018, 10: 12-15.
- [15] ALEXANDER E K, PEARCE E N, BRENT G A, BROWN R S, CHEN H, DOSIOU C, et al. 2017 Guidelines of the American Thyroid Association for the diagnosis and management of thyroid disease during pregnancy and the postpartum[J]. *Thyroid*, 2017, 27: 315-389.
- [16] KLUBO-GWIEZDZINSKA J, WARTOFSKY L. Thyroid emergencies[J]. *Med Clin North Am*, 2012, 96: 385-403.
- [17] GLINOER D, ABALOVICH M. Unresolved questions in managing hypothyroidism during pregnancy[J]. *BMJ*, 2007, 335: 300-302.
- [18] RYAN E A. Clinical diagnosis of gestational diabetes[J]. *Clin Obstet Gynecol*, 2013, 56: 774-787.
- [19] BANERJEE A, DORNHORST A. Diet and exercise in diabetes in pregnancy[M]//MCCANCE D R, MARESH M, SACKS D A. *A practical manual of diabetes in pregnancy*. New Jersey: Wiley-Blackwell, 2010: 888-921.
- [20] RANI P R, BEGUM J. Screening and diagnosis of gestational diabetes mellitus, where do we stand[J/OL]. *J Clin Diagn Res*, 2016, 10: QE01-4. doi: 10.7860/JCDR/2016/17588.7689.
- [21] NG Y H G, EE T X, KANAGALINGAM D, TAN H K. Resolution of severe fetal distress following treatment of maternal diabetic ketoacidosis[J/OL]. *BMJ Case Rep*, 2018, 2018. pii: bcr-2017-221325. doi: 10.1136/bcr-2017-221325.
- [22] HAGAY Z J, WEISSMAN A, LURIE S, INSLER V. Reversal of fetal distress following intensive treatment of maternal diabetic ketoacidosis[J]. *Am J Perinatol*, 1994, 11: 430-432.
- [23] NOBLE-BELL G, COX A. Management of diabetic ketoacidosis in adults[J]. *Nurs Times*, 2014, 110: 14-17.
- [24] CHAMBERLAIN J J, KALYANI R R, LEAL S, RHINEHART A S, SHUBROOK J H, SKOLNIK N, et al. Treatment of type 1 diabetes: synopsis of the 2017 American Diabetes Association standards of medical care in diabetes[J]. *Ann Intern Med*, 2017, 167: 493-498.
- [25] NIELSEN L R, PEDERSEN-BJERGAARD U, THORSTEINSSON B, JOHANSEN M, DAMM P, MATHIESEN E R. Hypoglycemia in pregnant women with type 1 diabetes: predictors and role of metabolic control[J]. *Diabetes Care*, 2008, 31: 9-14.
- [26] SAXENA B N, EMERSON K Jr, SELENKOW H A. Serum placental lactogen (HPL) levels as an index of placental function[J]. *N Engl J Med*, 1969, 281: 225-231.
- [27] 彭章龙,于布为. 糖尿病病人手术麻醉的高危因素及处理[J]. *中国实用外科杂志*, 2006, 26: 93-95.
- [28] POLLEX E, MORETTI M E, KOREN G, FEIG D S. Safety of insulin glargine use in pregnancy: a systematic review and meta-analysis[J]. *Ann Pharmacother*, 2011, 45: 9-16.
- [29] IMAGAWA A, HANAFUSA T, MIYAGAWA J, MATSUZAWA Y. A novel subtype of type 1 diabetes mellitus characterized by a rapid onset and an absence of diabetes-related antibodies. Osaka IDDM Study Group[J]. *N Engl J Med*, 2000, 342: 301-307.
- [30] FARRANT M T, ROWAN J A, CUNDY T. Fulminant type 1 diabetes in pregnancy[J]. *Intern Med J*, 2016, 46: 1212-1215.
- [31] YAN J H, ZHANG G C, ZHU Y H, YAO B. Fulminant type 1 diabetes during pregnancy in Chinese patients[J]. *Kaohsiung J Med Sci*, 2014, 30: 161-162.
- [32] LIU L, MAO J, LU Z, YAN X, BAI X, YE Y, et al. Clinical characteristics of fulminant type 1 diabetes associated with pregnancy in China[J]. *Endocrine*, 2011, 40: 408-412.
- [33] SHIMIZU I, MAKINO H, OSAWA H, KOUNOUE E, IMAGAWA A, HANAFUSA T, et al. Association of fulminant type 1 diabetes with pregnancy[J]. *Diabetes Res Clin Pract*, 2003, 62: 33-38.
- [34] 中华医学会妇产科学分会产科学组. 早产临床诊断与治疗指南(2014)[J]. *中华妇产科杂志*, 2014, 49: 481-486.
- [35] EISENHOFER G, TISCHLER A S, DE KRIJGER R R. Diagnostic tests and biomarkers for pheochromocytoma and extra-adrenal paraganglioma: from routine laboratory methods to disease stratification[J]. *Endocr Pathol*, 2012, 23: 4-14.
- [36] OLIVA R, ANGELOS P, KAPLAN E, BAKRIS G. Pheochromocytoma in pregnancy: a case series and review[J]. *Hypertension*, 2010, 55: 600-606.
- [37] CHRISTIANSSON L. *Anesthesia for pheochromocytoma*[M]. New York: Springer, 2014: 169-172.