













- two-step reaction to form the RNA cap structure[J]. *RNA*, 2009, 15: 2340-2350.
- [40] LI S H, DONG H, LI X F, XIE X, ZHAO H, DENG Y Q, et al. Rational design of a flavivirus vaccine by abolishing viral RNA 2'-O methylation[J]. *J Virol*, 2013, 87: 5812-5819.
- [41] LIU W J, CHEN H B, WANG X J, HUANG H, KHROMYKH A A. Analysis of adaptive mutations in Kunjin virus replicon RNA reveals a novel role for the flavivirus nonstructural protein NS2A in inhibition of beta interferon promoter-driven transcription[J]. *J Virol*, 2004, 78: 12225-12235.
- [42] NI H, BARRETT A D. Attenuation of Japanese encephalitis virus by selection of its mouse brain membrane receptor preparation escape variants[J]. *Virology*, 1998, 241: 30-36.
- [43] MANDL C W, ALLISON S L, HOLZMANN H, MEIXNER T, HEINZ H X. Attenuation of tick-borne encephalitis virus by structure-based site-specific mutagenesis of a putative flavivirus receptor binding site[J]. *J Virol*, 2000, 74: 9601-9609.
- [44] HANNA S L, PIERSON T C, SANCHEZ M D, AHMED A A, MURTADHA M M, DOMS R W. N-linked glycosylation of west Nile virus envelope proteins influences particle assembly and infectivity[J]. *J Virol*, 2005, 79: 13262-13274.
- [45] BEASLEY D W, WHITEMAN M C, ZHANG S, HUANG C Y H, SCHNEIDER B S, SMITH D R, et al. Envelope protein glycosylation status influences mouse neuroinvasion phenotype of genetic lineage 1 West Nile virus strains[J]. *J Virol*, 2005, 79: 8339-8347.
- [46] YASUI K. Neuropathogenesis of Japanese encephalitis virus[J]. *J Neurovirol*, 2002, 8 Suppl 2: 112-114.
- [47] WHITEMAN M C, LI L, WICKER J A, KINNEY R M, HUANG C, BEASLEY D W, et al. Development and characterization of non-glycosylated E and NS1 mutant viruses as a potential candidate vaccine for West Nile virus[J]. *Vaccine*, 2010, 28: 1075-1083.
- [48] SOMNUKE P, HAUHART RE, ATKINSON J P, DIAMOND M S, AVIRUTNAN P. N-linked glycosylation of dengue virus NS1 protein modulates secretion, cell-surface expression, hexamer stability, and interactions with human complement[J]. *Virology*, 2011, 413: 253-264.
- [49] AVIRUTNAN P, PUNYADEE N, NOISAKRAN S, KOMOLTRI C, THIEMMECA S, AUETHAVORNANAN K, et al. Vascular leakage in severe dengue virus infections: a potential role for the nonstructural viral protein NS1 and complement[J]. *J Infect Dis*, 2006, 193: 1078-1088.
- [50] BARTEL D P. MicroRNAs: genomics, biogenesis, mechanism, and function[J]. *Cell*, 2004, 116: 281-297.
- [51] HEISS B L, MAXIMOVA O A, PLETNEV A G. Insertion of microRNA targets into the flavivirus genome alters its highly neurovirulent phenotype[J]. *J Virol*, 2011, 85: 1464-1472.
- [52] LE N C, BROCK L G, LUONGO C, MCCARTY T, YANG L, MEHEDI M, et al. Attenuation of human respiratory syncytial virus by genome-scale codon-pair deoptimization[J]. *Proc Natl Acad Sci USA*, 2014, 111: 13169-13174.
- [53] GUTMAN G A, HATFIELD G W. Nonrandom utilization of codon pairs in *Escherichia coli*[J]. *Proc Natl Acad Sci USA*, 1989, 86: 3699-3703.
- [54] SHEN S H, STAUF C B, GORBATSEVYCH O, SONG Y, WARD C B, YUROVSKY A, et al. Large-scale recoding of an arbovirus genome to rebalance its insect versus mammalian preference[J]. *Proc Natl Acad Sci USA*, 2015, 112: 4749-4754.
- [55] LI P, KE X, WANG T, TAN Z, LUO D, MIAO Y, et al. Zika virus attenuation by codon pair deoptimization induces sterilizing immunity in mouse models[J/OL]. *J Virol*, 2018, 92. pii: e00701-18. doi:10.1128/JVI.00701-18.

[本文编辑] 尹 茶