











- TRAVÉ G, FLATMARK T, et al. The mRNA-binding site of annexin A2 resides in helices C-D of its domain IV[J]. *J Mol Biol*, 2007, 368: 1367-1378.
- [19] VEDELER A, HOLLÅS H, GRINDHEIM A K, RADDUM A M. Multiple roles of annexin A2 in post-transcriptional regulation of gene expression[J]. *Curr Protein Pept Sci*, 2012, 13: 401-412.
- [20] AUKRUST I, ROSENBERG L A, ANKERUD M M, BERTELSEN V, HOLLÅS H, SARASTE J, et al. Post-translational modifications of Annexin A2 are linked to its association with perinuclear nonpolysomal mRNP complexes[J]. *FEBS Open Bio*, 2017, 7: 160-173.
- [21] GRINDHEIM A K, HOLLÅS H, RAMIREZ J, SARASTE J, TRAVÉ G, VEDELER A. Effect of serine phosphorylation and Ser25 phospho-mimicking mutations on nuclear localisation and ligand interactions of annexin A2[J]. *J Mol Biol*, 2014, 426: 2486-2499.
- [22] CARON D, BOUTCHUËNG-DJIDJOU M, TANGUY R M, FAURE R L. Annexin A2 is SUMOylated on its N-terminal domain: regulation by insulin[J]. *FEBS Lett*, 2015, 589: 985-991.
- [23] HAYES M J, SHAO D, BAILLY M, MOSS S E. Regulation of actin dynamics by annexin 2[J]. *EMBO J*, 2006, 25: 1816-1826.
- [24] RESCHER U, LUDWIG C, KONIETZKO V, KHARITONENKOV A, GERKE V. Tyrosine phosphorylation of annexin A2 regulates Rho-mediated actin rearrangement and cell adhesion[J]. *J Cell Sci*, 2008, 121(Pt 13): 2177-2185.
- [25] DE GRAAUW M, TIJDENS I, SMEETS M B, HENSBERGEN P J, DEELDER A M, VAN DE WATER B. Annexin A2 phosphorylation mediates cell scattering and branching morphogenesis via cofilin activation[J]. *Mol Cell Biol*, 2008, 28: 1029-1040.
- [26] CUI H Y, WANG S J, MIAO J Y, FU Z G, FENG F, WU J, et al. CD147 regulates cancer migration via direct interaction with Annexin A2 and DOCK3- $\beta$ -catenin-WAVE2 signaling[J]. *Oncotarget*, 2016, 7: 5613-5629.
- [27] HAYES M J, MOSS S E. Annexin 2 has a dual role as regulator and effector of v-Src in cell transformation[J]. *J Biol Chem*, 2009, 284: 10202-10210.
- [28] GABEL M, DELAVOIE F, ROYER C, TAHOULY T, GASMAN S, BADER M F, et al. Phosphorylation cycling of Annexin A2 Tyr23 is critical for calcium-regulated exocytosis in neuroendocrine cells[J/OL]. *Biochim Biophys Acta Mol Cell Res*, 2019. pii: S0167-4889(18)30542-1. doi: 10.1016/j.bbamcr.2018.12.013.
- [29] TAURO B J, MATHIAS R A, GREENING D W, GOPAL S K, JI H, KAPPE A, et al. Oncogenic H-ras reprograms Madin-Darby canine kidney (MDCK) cell-derived exosomal proteins following epithelial-mesenchymal transition[J]. *Mol Cell Proteomics*, 2013, 12: 2148-2159.
- [30] BRONISZ A, WANG Y, NOWICKI M O, PERUZZI P, ANSARI K, OGAWA D, et al. Extracellular vesicles modulate the glioblastoma microenvironment via a tumor suppression signaling network directed by miR-1[J]. *Cancer Res*, 2014, 74: 738-750.
- [31] PRASAD S, GUPTA S C, TYAGI A K. Reactive oxygen species (ROS) and cancer: role of antioxidative nutraceuticals[J]. *Cancer Lett*, 2017, 387: 95-105.
- [32] ZOU Z, CHANG H, LI H, WANG S. Induction of reactive oxygen species: an emerging approach for cancer therapy[J]. *Apoptosis*, 2017, 22: 1321-1335.
- [33] GRINDHEIM A K, HOLLÅS H, RADDUM A M, SARASTE J, VEDELER A. Reactive oxygen species exert opposite effects on Tyr23 phosphorylation of the nuclear and cortical pools of annexin A2[J]. *J Cell Sci*, 2016, 129: 314-328.
- [34] GRINDHEIM A K, VEDELER A. Extracellular vesicles released from cells exposed to reactive oxygen species increase annexin A2 expression and survival of target cells exposed to the same conditions[J/OL]. *Commun Integr Biol*, 2016, 9: e1191715. doi: 10.1080/19420889.2016.1191715.
- [35] MOHAMMAD H S, KUROKOHCHI K, YONEYAMA H, TOKUDA M, MORISHITA A, JIAN G, et al. Annexin A2 expression and phosphorylation are up-regulated in hepatocellular carcinoma[J]. *Int J Oncol*, 2008, 33: 1157-1163.
- [36] CHAUDHARY P, THAMAKE S I, SHETTY P, VISHWANATHA J K. Inhibition of triple-negative and Herceptin-resistant breast cancer cell proliferation and migration by Annexin A2 antibodies[J]. *Br J Cancer*, 2014, 111: 2328-2341.
- [37] DATHE C, DAIGELER A L, SEIFERT W, JANKOWSKI V, MROWKA R, KALIS R, et al. Annexin A2 mediates apical trafficking of renal Na<sup>+</sup>-K<sup>+</sup>-2Cl<sup>-</sup> cotransporter[J]. *J Biol Chem*, 2014, 289: 9983-9997.
- [38] DIAZ B, ELKBULIA, EHRHARDT J D Jr, MCKENNEY M, BONEVA D, HAI S. Pheochromocytoma-related cardiomyopathy presenting as broken heart syndrome: case report and literature review[J]. *Int J Surg Case Rep*, 2019, 55: 7-10.
- [39] RADDUM A M, EVENSEN L, HOLLÅS H, GRINDHEIM A K, LORENS J B, VEDELER A. Domains I and IV of annexin A2 affect the formation and integrity of *in vitro* capillary-like networks[J/OL]. *PLoS One*, 2013, 8: e60281. doi: 10.1371/journal.pone.0060281.
- [40] LIMA E SILVA R, SHEN J, GONG Y Y, SEIDEL C P, HACKETT S F, KESAVAN K, et al. Agents that bind annexin A2 suppress ocular neovascularization[J]. *J Cell Physiol*, 2010, 225: 855-864.